Table of Contents

Abbott, A.G.; Ainsworth, C.C.; Flavell, R.B.: Characterization of anther differentiation in cytoplasmic male sterile maize using a specific isozyme system (esterase) 469
Ainsworth, C.C.: see Abbott, A.G. et al., 469
Alicchio, R.; Antonioli, C.; Palenzona, D.: Karyotypic variability in plants of *Solanum melongena* regenerated from callus grown in presence of culture filtrate of *Verticillium dahliae* 267
Antonioli, C.: see Alicchio, R. et al., 267
Arzee-Gonen, P.: see Aviv, D. et al., 499
Aviv, D.: see Fluhr, R. et al., 491
Aviv, D.; Bleichman, S.; Arzee-Gonen, P.; Galun, E.: Intersectional cytoplasmic hybrids in *Nicotiana*. Identification of plastomes and chondriomes in *N. sylvestris* + *N. rustica* cybrids having *N. sylvestris* nuclear genomes 499
Avivi, L.: see Millet, E. et al., 521

Baenziger, P.S.: see Lazar, M.D. et al., 273
Bajaj, Y.P.S.: The regeneration of plants from frozen pollen embryos and zygotic embryos of wheat and rice 525
Baker, R.L.; Cox, E.H.; Carter, A.H.: Direct and correlated responses to selection for weaning weight, post-weaning weight gain and six-week weight in mice 113
Banga, Shashi K.: see Banga, S.S. et al., 515
Banga, S.S.; Labana, K.S.; Banga, Shashi K.: Male sterility in Indian mustard (*Brassica juncea* (L.) Coss.) – a biochemical characterization 515
Banga, S.S.; Labana, K.S.; Medhi, B.N.: *Alternaria* incidence in some alloplasmic lines of Indian mustard (*Brassica juncea* (L.) Coss.) 195
Bartels, D.: see Thompson, R.D. et al., 87
Beckmann, J.S.: see Soller, M., 25
Beckmann, J.S.; Soller, M.: Restriction fragment length polymorphisms in genetic improvement: methodologies, mapping and costs 35
Berkum, P.van: see Cregan, P.B., 97
Bianchi, F.: see Doodeman, M. et al., 345
Bianchi, F.: see Doodeman, M. et al., 357
Binding, H.: see Gressel, J. et al., 131
Bingham, E.T.: see Pfeiffer, T.W., 263
Blaas, J.: see Laat, A.M.M. de, 463
Blackwell, R.L.: see MacNeil, M.D. et al., 403
Blackwell, R.L.: see MacNeil, M.D. et al., 407
Bleichman, S.: see Aviv, D. et al., 499
Bliss, F.A.: see Osborn, T.C. et al., 547
Bochkarev, M.N.: see Gradov, A.A. et al., 59
Boersma, E.A.: see Doodeman, M. et al., 345
Brettell, R.I.S.: see Larkin, P.J. et al., 443
Brouwer, K. de: see Tilquin, J.P. et al., 413
Brown, J.W.S.: see Osborn, T.C. et al., 547
Buyser, J. De: see Henry, Y. et al., 439

Caboche, M.: see Negrutiu, I. et al., 289
Carter, A.H.: see Baker, R.L. et al., 113
Cermeño, M.C.: see Lacadena, J.R. et al., 207
Chesnais, J.P.: see Nagai, J. et al., 479
Chourey, P.S.: see McNay, J.W. et al., 433
Chyi, Y.S.: see Sanford, J.C. et al., 553
Cochran, D.G.; Ross, M.H.: Modification of the properties of a translocation in the German cockroach by selection 123
Cohen, N.: see Gressel, J. et al., 131
Cox, E.H.: see Baker, R.L. et al., 113
Cregan, P.B.; Berkum, P.van: Genetics of nitrogen metabolism and physiological/biochemical selection for increased grain crop productivity (Review) 97
Cregan, P.B.: see Schaeffer, G.W. et al., 383
Csányi, V.: see Nagy, A., 485

Davies, D.R.: Pollen irradiation and the transfer of maternal genes in *Pisum sativum* 245
Doodeman, M.; Boersma, E.A.; Koomen, W.; Bianchi, F.: Genetic analysis of instability in *Petunia hybrida*. 1. A highly unstable mutation induced by a transposable element inserted at the *An1* locus for flower colour 345
Doodeman, M.; Gerats, A.G.M.; Schram, A.W.; Vlaming, P. de; Bianchi, F.: Genetic analysis of instability in *Petunia hybrida*. 2. Unstable mutations at different loci as the result of transpositions of the genetic element inserted at the *An1* locus 357
Drögemüller, E.-M.; Lelley, T.: Chiasma distribution in rye chromosomes of diploid rye and in wheat/rye addition lines in relation to C-heterochromatin 457
Dujardin, M.; Hanna, W.: Microsporogenesis, reproductive behavior, and fertility in five *Pennisetum* species 197
Dumas, C.; Knox, R.B.: Callose and determination of pistil viability and incompatibility (Review) 1

Edelman, M.: see Fluhr, R. et al., 491
Eisen, E.J.; Saxton, A.M.: Genotype by environment interactions and genetic correlations involving two environmental factors 75
Evenor, D.; Guri, A.; Izhar, S.: The relationship between a nuclear restorer gene and the nuclear gene for male sterility in *Petunia* 475

Fairfull, R.W.: see Liljedahl, L.E. et al., 391
Faluyi, J.O.; Olorode, O.: Inheritance of resistance to *Helminthosporium maydis* blight in maize (*Zea mays* L.) 341
Famula, T.R.: Restricted best linear unbiased prediction and a selection model 337
Feldman, M.: see Millet, E. et al., 521
Fernando, R.L.; Knights, S.A.; Gianola, D.: On a method of estimating the genetic correlation between characters measured in different experimental units 175
Ferrer, E.; González, J.M.; Jouve, N.: Identification of C-banded chromosomes in meiosis of common wheat, *Triticum aestivum* L. 257
Flavell, R.B.: see Abbott, A.G. et al., 469
Flavell, R.B.: see Thompson, R.D. et al., 87
Flower, A.E.: see MacNeil, M.D. et al., 403
Flower, A.E.: see MacNeil, M.D. et al., 407
Fluhr, R.; Aviv, D.; Galun, E.; Edelman, M.: Generation of heteroplastidic *Nicotiana* cybrids by protoplast fusion: analysis for plastid recombinant types 491
Foroughi-Wehr, B.; Friedt, W.: Rapid production of recombinant barley yellow mosaic virus resistant *Hordeum vulgare* lines by anther culture 377
Friedt, W.: see Foroughi-Wehr, B., 377
Fu Ya-ping: see Sun Zong-xiu et al., 67

Galun, E.: see Aviv, D. et al., 499
Galun, E.: see Fluhr, R. et al., 491
Gavora, J.S.: see Liljedahl, L.E. et al., 391
Gerats, A.G.M.: see Doodeman, M. et al., 357
Gianola, D.: see Fernando, R.L. et al., 175

Giuliano, G.; Lo Schiavo, F.; Terzi, M.: Isolation and developmental characterization of temperature-sensitive carrot cell variants 179
González, J.M.: see Ferrer, E. et al., 257
Gowe, R.S.: see Liljedahl, L.E. et al., 391
Gradov, A.A.; Rubtsov, N.B.; Shilov, A.G.; Bochkarev, M.N.; Serov, O.L.: Chromosome localization of the genes for ENO1, HK1, ADK, ACP2, MPI, ITPA, ACON1 and α-GAL in the American mink (*Mustela vison*) 59
Gressel, J.; Cohen, N.; Binding, H.: Somatic hybridization of an atrazine resistant biotype of *Solanum nigrum* with *Solanum tuberosum*. 2. Segregation of plastomes 131
Grun, P.: see Staub, J.E. et al., 505
Guenegou, T.: see Henry, Y. et al., 439
Gupta, A.K.; Saini, R.G.; Gupta, S.; Malhotra, S.: Genetic analysis of two wheat cultivars, 'Sonalika' and 'WL 711' for reaction to leaf rust (*Puccinia recondita*) 215
Gupta, S.: see Gupta, A.K. et al., 215
Guri, A.: see Evenor, D. et al., 475
Guyomard, R.: High level of residual heterozygosity in gynogenetic rainbow trout, *Salmo gairdneri*, Richardson 307

Hanna, W.: see Dujardin, M., 197
Hanna, W.W.; Lu, C.; Vasil, I.K.: Uniformity of plants regenerated from somatic embryos of *Panicum maximum* Jacq. (Guinea grass) 155
Harberd, N.P.: see Thompson, R.D. et al., 87
Henry, Y.; Buyser, J. De; Guenegou, T.; Ory, C.: Wheat microspore embryogenesis during in vitro anther culture 439
Heslop-Harrison, J.; Heslop-Harrison, Y.; Shivanna, K.R.: The evaluation of pollen quality, and a further appraisal of the fluorochromatic (FCR) test procedure 367
Heslop-Harrison, Y.: see Heslop-Harrison, J. et al., 367
Holt, L.M.: see Payne, P.I. et al., 235
Horvat, F.: see Tilquin, J.P. et al., 413

Izhar, S.: see Evenor, D. et al., 475

Jaaska, Vello: NAD-dependent aromatic alcohol dehydrogenase in wheats (*Triticum* L.) and goatgrasses (*Aegilops* L.): evolutionary genetics 535
Jackson, E.A.: see Payne, P.I. et al., 235
Jacobs, M.: see Negrutiu, I. et al., 289
Jouve, N.: see Ferrer, E. et al., 257

Karp, A.; Maddock, S.E.: Chromosome variation in wheat plants regenerated from cultured immature embryos 249
Kawase, M.; Sakamoto, S.: Variation, geographical distribution and genetical analysis of esterase isozymes in foxtail millet, *Setaria italica* (L.)P. Beauv. 529
Knights, S.A.: see Fernando, R.L. et al., 175
Knox, R.B.: see Dumas, C., 1
Koomen, W.: see Doodeman, M. et al., 345
Kopus, M.M.: see Metakovsky, E.V. et al., 559
Kress, D.D.: see MacNeil, M.D. et al., 403
Kress, D.D.: see MacNeil, M.D. et al., 407
Kuhns, L.J.: see Staub, J.E. et al., 505
Kung, S.D.: see Tassopulu, D., 185
Kung, S.D.: see Zhu, Y.S. et al., 333

Laat, A.M.M. de; Blaas, J.: Flow-cytometric characterization and sorting of plant chromosomes 463
Labana, K.S.: see Banga, S.S. et al., 195
Labana, K.S.: see Banga, S.S. et al., 515
Lacadena, J.R.; Cermeño, M.C.; Orellana, J.; Santos, J.L.: Evidence for wheat-rye nucleolar competition (amphiplasty) in triticale by silver-staining procedure 207
Larkin, P.J.; Ryan, S.A.; Brettell, R.I.S.; Scowcroft, W.R.: Heritable somaclonal variation in wheat 443
Law, C.N.: see Payne, P.I. et al., 235
Law, C.N.: see Stinissen, H.M. et al., 53
Lazar, M.D.; Schaeffer, G.W.; Baenziger, P.S.: Cultivar and cultivar × environment effects on the development of callus and polyhaploid plants from anther cultures of wheat 273
Lelley, T.: see Drögemüller, E.-M., 457
Leonard, K.J.; Mundt, C.C.: Methods for estimating epidemiological effects of quantitative resistance to plant diseases 219
Levy, A.A.: see Millet, E. et al., 521
Li Yi-qin; Linskens, H.F.: Wall-bound proteins of pollen tubes after self- and cross-pollination in *Lilium longiflorum* 11
Liljedahl, L.E.; Gavora, J.S.; Fairfull, R.W.; Gowe, R.S.: Age changes in genetic and environmental variation in laying hens 391
Linskens, H.F.: see Li Yi-qin, 11
Lo Schiavo, F.: see Giuliano, G. et al., 179
Lovett, P.S.: see Zhu, Y.S. et al., 333
Lu, C.: see Hanna, W.W. et al., 155

MacNeil, M.D.; Kress, D.D.; Flower, A.E.; Webb, R.P.; Blackwell, R.L.: Effects of mating system in Japanese quail. 1. Inbreeding and fitness 403
MacNeil, M.D.; Kress, D.D.; Flower, A.E.; Blackwell, R.L.: Effects of mating system in Japanese quail. 2. Genetic parameters, response and correlated response to selection 407
Maddock, S.E.: see Karp, A., 249
Malhotra, S.: see Gupta, A.K. et al., 215
Manen, J.-F.: see Osborn, T.C. et al., 547
May, B.: see Staub, J.E. et al., 505
McAllister, A.J.: see Nagai, J. et al., 479
McDaniel, C.N.: see Singer, S.R., 427
McNay, J.W.; Chourey, P.S.; Pring, D.R.: Molecular analysis of genomic stability of mitochondrial DNA in tissue cultured cells of maize 433
Medhi, B.N.: see Banga, S.S. et al., 195
Metakovsky, E.V.; Novoselskaya, A.Yu.; Kopus, M.M.; Sobko, T.A.; Sozinov, A.A.: Blocks of gliadin components in winter wheat detected by one-dimensional polyacrylamide gel electrophoresis 559
Millet, E.; Levy, A.A.; Avivi, L.; Zamir, R.; Feldman, M.: Evidence for maternal effect in the inheritance of grain protein in crosses between cultivated and wild tetraploid wheats 521
Moran, C.: Sex-linked effective population size in control populations, with particular reference to honeybees (*Apis mellifera* L.) 317
Mouli, C.: see Patil, S.H., 327
Mundt, C.C.: see Leonard, K.J., 219
Murata, M.; Tsuchiya, T.; Roos, E.E.: Chromosome damage induced by artificial seed aging in barley. 3. Behavior of chromosomal aberrations during plant growth 161

Nagai, J.; McAllister, A.J.; Chesnais, J.P.: Male and female contributions to heterosis in lifetime performance of mice 479
Nagy, A.; Csányi, V.: A new breeding system using gynogenesis and sex-reversal for fast inbreeding in carp 485
Negrutiu, I.; Jacobs, M.; Caboche, M.: Advances in somatic cell genetics of higher plants – the protoplast approach in basic studies on mutagenesis and isolation of biochemical mutants (Review) 289
Novoselskaya, A.Yu.: see Metakovsky, E.V. et al., 559

Olorode, O.: see Faluyi, J.O., 341
Orellana, J.: see Lacadena, J.R. et al., 207

Orton, T.J.: Spontaneous electrophoretic and chromosomal variability in callus cultures and regenerated plants of celery 17
Ory, C.: see Henry, Y. et al., 439
Osborn, T.C.; Manen, J.-F.; Brown, J.W.S.; Bliss, F.A.: Bean lectins IV: genetic variation in the non-denatured structure of lectins from different *Phaseolus vulgaris* L. cultivars 547

Palenzona, D.: see Alicchio, R. et al., 267
Paroda, R.S.: see Singh, O., 541
Patil, S.H.; Mouli, C.: Preferential segregation of two allelic mutations for small leaf character in groundnut 327
Payne, P.I.; Jackson, E.A.; Holt, L.M.; Law, C.N.: Genetic linkage between endosperm storage protein genes on each of the short arms of chromosomes 1A and 1B in wheat 235
Payne, P.I.: see Stinissen, H.M. et al., 53
Peumans, W.J.: see Stinissen, H.M. et al., 53
Pfeiffer, T.W.; Bingham, E.T.: Comparisons of alfalfa somaclonal and sexual derivatives from the same genetic source 263
Pring, D.R.: see McNay, J.W. et al., 433

Qi Xiu-fang: see Sun Zong-xiu et al., 67

Rao, B.G.S.: see Rao, S.V., 419
Rao, S.V.: Myo-inositol induced growth in ethyl methanesulphonate treated tobacco 203
Rao, S.V.; Rao, B.G.S.: Studies on the crossability relationships of some spinous *Solanums* 419
Reddi, V.R.: see Seetharami Reddi, T.V.V., 231
Reisch, B.I.: see Sanford, J.C. et al., 553
Riva, M.E.: see Robinson, A.S., 305
Robinson, A.S.; Riva, M.E.: A simple method for the isolation of allelic series using male-linked translocations (Short communication) 305
Roos, E.E.: see Murata, M. et al., 161
Ross, M.H.: see Cochran, D.G., 123
Rubtsov, N.B.: see Gradov, A.A. et al., 59
Ryan, S.A.: see Larkin, P.J. et al., 443

Sai Kumar, R.: see Singh, U.P. et al., 135
Saini, R.G.: see Gupta, A.K. et al., 215
Sakamoto, S.: see Kawase, M., 529
Sanford, J.C.; Chyi, Y.S.; Reisch, B.I.: An attempt to induce "egg transformation" in *Lycopersicon esculentum* Mill. using irradiated pollen 553
Santos, J.L.: see Lacadena, J.R. et al., 207
Saxton, A.M.: see Eisen, E.J., 75
Schaeffer, G.W.: see Lazar, M.D. et al., 273
Schaeffer, G.W.; Sharpe, F.T., Jr.; Cregan, P.B.: Variation for improved protein and yield from rice anther culture 383
Schmidt-Stohn, G.: see Wehling, P., 149
Schram, A.W.: see Doodeman, M. et al., 357
Scowcroft, W.R.: see Larkin, P.J. et al., 443
Seetharami Reddi, T.V.V.; Reddi, V.R.: Frequency and spectrum of chlorophyll mutants induced in rice by chemical mutagens 231
Serov, O.L.: see Gradov, A.A. et al., 59
Sharpe, F.T., Jr.: see Schaeffer, G.W. et al., 383
Shilov, A.G.: see Gradov, A.A. et al., 59
Shivanna, K.R.: see Heslop-Harrison, J. et al., 367
Simpson, E.: see Snape, J.W. et al., 143
Singer, S.R.; McDaniel, C.N.: Selection of amitrole tolerant tobacco calli and the expression of this tolerance in regenerated plants and progeny 427
Singh, M.; Singh, R.K.: A comparison of different methods of half-diallel analysis 323
Singh, O.; Paroda, R.S.: A comparison of different diallel analyses 541
Singh, R.B.: see Singh, U.P. et al., 135
Singh, R.K.: see Singh, M., 323
Singh, R.M.: see Singh, U.P. et al., 135
Singh, U.P.; Sai Kumar, R.; Singh, R.M.; Singh, R.B.: Transmission of primary trisomics in pearl millet 135
Snape, J.W.; Wright, A.J.; Simpson, E.: Methods for estimating gene numbers for quantitative characters using doubled haploid lines 143
Sobko, T.A.: see Metakovsky, E.V. et al., 559
Soller, M.; Beckmann, J.S.: Genetic polymorphism in varietal identification and genetic improvement 25
Soller, M.: see Beckmann, J.S., 35
Sozinov, A.A.: see Metakovsky, E.V. et al., 559
Sreenivasan, J.; Sreenivasan, T.V.: In vitro propagation of a *Saccharum officinarum* (L.) and *Sclerostachya fusca* (Roxb.) A. Camus Hybrid 171
Sreenivasan, T.V.: see Sreenivasan, J., 171
Staub, J.E.; Kuhns, L.J.; Grun, P.; May, B.: Genetic bases of isozyme variation for alkaline phosphatase and glucose-phosphate isomerase in *Solanum* 505
Steele Scott, N.; Timmis, J.N.: Homologies between nuclear and plastid DNA in spinach 279
Stinissen, H.M.; Peumans, W.J.; Law, C.N.; Payne, P.I.: Control of lectins in *Triticum aestivum* and *Aegilops umbellulata* by homoeologous group 1 chromosomes 53
Sun Zong-xiu; Zhao Cheng-zhang; Zheng Kang-le; Qi Xiu-fang; Fu Ya-ping: Somaclonal genetics of rice, *Oryza sativa* L. 67

Tassopulu, D.; Kung, S.D.: *Nicotiana* chloroplast genome. 6. Deletion and hot spot – a proposed origin of the inverted repeats 185
Terzi, M.: see Giuliano, G. et al., 179
Thompson, R.D.; Bartels, D.; Harberd, N.P.; Flavell, R.B.: Characterization of the multigene family coding for HMW glutenin subunits in wheat using cDNA clones 87
Tilquin, J.P.; Brouwer, K. de; Horvat, F.: Unusual cytological patterns in microsporogenesis in a cultivar of Fuchsia. 1. Multiple spindle 413
Timmis, J.N.: see Steele Scott, N., 279
Tsuchiya, T.: see Murata, M. et al., 161

Vasil, I.K.: see Hanna, W.W. et al., 155
Vlaming, P. de: see Doodeman, M. et al., 357

Webb, R.P.: see MacNeil, M.D. et al., 403
Wehling, P.; Schmidt-Stohn, G.: Linkage relationships of esterase loci in rye (*Secale cereale* L.) 149
Williams, D.M.: see Zhu, Y.S. et al., 333
Wright, A.J.: The expected efficiencies of some methods of selection of components for inter-genotypic mixtures 45
Wright, A.J.: see Snape, J.W. et al., 143

Zamir, R.: see Millet, E. et al., 521
Zhao Cheng-zhang: see Sun Zong-xiu et al., 67
Zheng Kang-le: see Sun Zong-xiu et al., 67
Zhu, Y.S.; Lovett, P.S.; Williams, D.M.; Kung, S.D.: *Nicotiana* chloroplast genome. 7. Expression in *E. coli* and *B. subtilis* of tobacco and *Chlamydomonas* chloroplast DNA sequences coding for the large subunit of RuBP carboxylase 333

Book reviews 34, 44, 66, 74, 112, 130, 154, 160, 184, 194, 202, 206, 214, 218, 234, 244, 256, 262, 356, 376, 390, 402, 418, 438, 456, 498, 514

Announcements 74, 462

Correction 74

Indexed in Current Contents